

## Author Index

- Aldridge, P.K., see Cho, J. 303
- Alsberg, B.K., see Winson, M.K. 273
- Alsberg, B.K.  
—, Goodacre, R., Rowland, J.J. and Kell, D.B.  
Classification of pyrolysis mass spectra by fuzzy multivariate rule induction-comparison with regression, *K*-nearest neighbour, neural and decision-tree methods 389
- Araújo, A.N., see de Gracia, J. 143
- Arndt, M., see Hitzmann, B. 161
- Baeza-Baeza, J.J., see Torres-Lapasió, J.R. 187
- Barrero, F.A., see Campaña, A.M.G. 237
- Baumann, K.  
— and Clerc, J.T.  
Computer-assisted IR spectra prediction — linked similarity searches for structures and spectra 327
- Baumann, R.A., see Hoogerbrugge, R. 247
- Bianchi, G., see Shaw, A.D. 357
- Blasco, F.  
—, Medina-Hernández, M.J. and Sagrado, S.  
Use of pH gradients in continuous-flow systems and multivariate regression techniques applied to the determination of methionine and cysteine in pharmaceuticals 151
- Booksh, K.S.  
— and Kowalski, B.R.  
Calibration method choice by comparison of model basis functions to the theoretical instrumental response function 1
- Boqué, R., see Ferré, J. 167
- Bosch-Reig, F., see Campíns-Falcó, P. 39
- Bouveresse, E.  
—, Rutan, S.C., Heyden, Y.V., Penninckx, W. and Massart, D.L.  
Detection, interpretation and correction of changes in the instrumental response of near-infrared monochromator instruments over time 283
- Bremser, W.  
— and Hässelbarth, W.  
Controlling uncertainty in calibration 61
- Brezmes, J.  
—, Ferreras, B., Llobet, E., Vilanova, X. and Correig, X.  
Neural network based electronic nose for the classification of aromatic species 503
- Broadhurst, D.  
—, Goodacre, R., Jones, A., Rowland, J.J. and Kell, D.B.  
Genetic algorithms as a method for variable selection in multiple linear regression and partial least squares regression, with applications to pyrolysis mass spectrometry 71
- Burns, D.H., see Leonardi, L. 543
- Burns, D.H., see Long, W.F. 553
- Cabrol-Bass, D., see Cleva, C. 255
- Cachet, C., see Cleva, C. 255
- Campaña, A.M.G.  
—, Rodríguez, L.C., González, A.L., Barrero, F.A. and Ceba, M.R.  
Sequential response surface methodology for multiobjective optimization in analytical chemistry with three-variable Doehlert designs 237
- Campíns-Falcó, P.  
—, Verdú-Andrés, J. and Bosch-Reig, F.  
Evaluation and elimination of the blank bias error using the H-point standard additions method (HPSAM) in the simultaneous spectrophotometric determination of two analytes 39
- Carpignano, R.  
—, Marzona, M., Cattaneo, E. and Quaranta, S.  
QSAR study of inclusion complexes of heterocyclic compounds with  $\beta$ -cyclodextrin 489
- Cattaneo, E., see Carpignano, R. 489
- Ceba, M.R., see Campaña, A.M.G. 237
- Cho, J.  
—, Gempferline, P.J., Aldridge, P.K. and Sekulic, S.S.  
Effective mass sampled by NIR fiber-optic reflectance probes in blending processes 303
- Cleij, P.  
— and Hoogerbrugge, R.  
Linear data projection using a feedforward neural network 495
- Clerc, J.T., see Baumann, K. 327
- Cleva, C.  
—, Cachet, C., Cabrol-Bass, D. and Forrest, T.P.  
Advantages of a hierarchical system of neural-networks for the interpretation of infrared spectra in structure determination 255
- Correig, X., see Brezmes, J. 503
- Cserhádi, T., see Forgács, E. 481
- Cserhádi, T.  
Use of spectral mapping technique for the separation of solvent strength and selectivity on  $\beta$ -cyclodextrin polymer-coated HPLC column using monoamine oxidase inhibitory drugs as solutes 197
- de Aguiar, P.F.  
—, Heyden, Y.V. and Massart, D.L.  
Study of different criteria for the selection of a rugged optimum in high performance liquid chromatography optimisation 223

- de Gracia, J.  
—, Saravia, M.L.M.F.S., Araújo, A.N., Lima, J.L.F.C., del Valle, M. and Poch, M.  
Evaluation of natural computation techniques in the modelling and optimization of a sequential injection flow system for colorimetric iron(III) determination 143
- de la Peña, A.M., see García, M.D.G. 177
- del Valle, M., see de Gracia, J. 143
- di Camillo, A., see Shaw, A.D. 357
- Elyashberg, M.E.  
—, Karasev, Yu.Z., Martirosian, E.R., Thiele, H. and Somberg, H.  
Expert systems as a tool for the molecular structure elucidation by spectral methods. Strategies of solution to the problems 443
- Fernández-Band, B., see Ferré, J. 167
- Ferré, J.  
—, Boqué, R., Fernández-Band, B., Larrechi, M.S. and Rius, F.X.  
Figures of merit in multivariate calibration. Determination of four pesticides in water by flow injection analysis and spectrophotometric detection 167
- Ferreras, B., see Brezmes, J. 503
- Fister III, J.C.  
— and Harris, J.M.  
Date analysis techniques for monitoring excited state kinetics 311
- Forgács, E.  
— and Cserhádi, T.  
Use of cluster and principal component analysis in quantitative structure-retention relationship study 481
- Forrest, T.P., see Cleva, C. 255
- Frenich, A.G., see García, M.D.G. 177
- Galera, M.M., see García, M.D.G. 177
- García, M.D.G.  
—, Frenich, A.G., Vidal, J.L.M., Galera, M.M., de la Peña, A.M. and Salinas, F.  
Resolution of overlapping peaks in HPLC with diode array detection by application of partial least squares calibration to cross-sections of spectrochromatograms 177
- García-Alvarez-Coque, M.C., see Torres-Lapasió, J.R. 187
- Gemperline, P.J., see Cho, J. 303
- Gloor, A., see Macher, C.L. 465
- González, A.L., see Campaña, A.M.G. 237
- Goodacre, R., see Alsberg, B.K. 389
- Goodacre, R., see Broadhurst, D. 71
- Goodacre, R., see Winson, M.K. 273
- Goodacre, R.  
—, Timmins, É.M., Jones, A., Kell, D.B., Maddock, J., Heginbothom, M.L. and Magee, J.T.  
On mass spectrometer instrument standardization and inter-laboratory calibration transfer using neural networks 511
- Hässelbarth, W., see Bremser, W. 61
- Harris, J.M., see Fister III, J.C. 311
- Heginbothom, M.L., see Goodacre, R. 511
- Herrero, A.  
— and Ortiz, M.C.  
Multivariate calibration transfer applied to the routine polarographic determination of copper, lead, cadmium and zinc 51
- Heyden, Y.V., see Bouveresse, E. 283
- Heyden, Y.V., see de Aguiar, P.F. 223
- Hitzmann, B.  
—, Löhn, A., Arndt, M., Ulber, R. and Müller, C.  
A new evaluation technique for FIA measurements: projective reference evaluation 161
- Hitzmann, B.  
—, Ritzka, A., Ulber, R., Scheper, T. and Schügerl, K.  
Computational neural networks for the evaluation of biosensor 135
- Hoogerbrugge, R., see Cleij, P. 495
- Hoogerbrugge, R.  
—, Molins, C. and Baumann, R.A.  
Effects of parameters on microwave assisted extraction of triazines from soil: evaluation of an optimisation trajectory 247
- Hopke, P.K.  
— and Song, X.-H.  
Classification of single particles by neural networks based on the computer-controlled scanning electron microscopy data 375
- Jones, A., see Broadhurst, D. 71
- Jones, A., see Goodacre, R. 511
- Jones, A., see Shaw, A.D. 357
- Jones, A., see Winson, M.K. 273
- Kalivas, J.H., see Xie, Y.-L. 19
- Kalivas, J.H., see Xie, Y.-L. 29
- Kaljurand, M.  
— and Koel, M.  
Analyzing time varying flow composition using multiple input chromatography 203
- Karasev, Yu.Z., see Elyashberg, M.E. 443
- Kell, D.B., see Alsberg, B.K. 389
- Kell, D.B., see Broadhurst, D. 71
- Kell, D.B., see Goodacre, R. 511
- Kell, D.B., see Shaw, A.D. 357
- Kell, D.B., see Winson, M.K. 273
- Koel, M., see Kaljurand, M. 203
- Kowalski, B.R., see Booksh, K.S. 1
- Langhans, I., see Verberckmoes, A.A. 267
- Langoor, M.H., see Luinge, H.J. 471
- Larrechi, M.S., see Ferré, J. 167
- Larrechi, M.S., see Ruisánchez, I. 113
- Leonardi, L.  
— and Burns, D.H.  
Quantitative constituent measurements in scattering media from statistical analysis of photon time-of-flight distributions 543
- Lima, J.L.F.C., see de Gracia, J. 143
- Litani-Barzilai, I.  
— and Schechter, I.  
Spectroscopic prediction of nonlinear properties by principal component regression 345

- Llobet, E., see Brezmes, J. 503
- Löhn, A., see Hitzmann, B. 161
- Long, W.F.  
— and Burns, D.H.  
Optical tomographic reconstruction from diffuse remittance in scattering media using partial least squares estimation 553
- Lozano, J., see Ruisánchez, I. 113
- Luinge, H.J.  
—, Langoor, M.H. and van der Maas, J.H.  
Linear and non-linear modelling techniques for the investigation of spectrum-structure relationships 471
- Macher, C.L.  
—, Gloor, A. and Pretsch, E.  
Automatic generation of hypermedia 465
- Maddock, J., see Goodacre, R. 511
- Magee, J.T., see Goodacre, R. 511
- Majcen, N.  
—, Rius, F.X. and Zupan, J.  
Linear and non-linear multivariate analysis in the quality control of industrial titanium dioxide white pigment 87
- Martirosian, E.R., see Elyashberg, M.E. 443
- Marzona, M., see Carpignano, R. 489
- Massart, D.L., see Bouveresse, E. 283
- Massart, D.L., see de Aguiar, P.F. 223
- Medina-Hernández, M.J., see Blasco, F. 151
- Molins, C., see Hoogerbrugge, R. 247
- Müller, C., see Hitzmann, B. 161
- Novič, M., see Novič, M. 101
- Novič, M., see Pompe, M. 215
- Novič, M., see Zupan, J. 409
- Novič, M.  
—, Novič, M., Zupan, J., Zafran, N. and Pihlar, B.  
Simultaneous determination of iron(II) and iron(III) by flow injection analysis. A mathematical simulation of the detector response 101
- Ooms, K., see Verberckmoes, A.A. 267
- Ortiz, M.C., see Herrero, A. 51
- Ortiz, M.C., see Sarabia, L.A. 11
- Penninckx, W., see Bouveresse, E. 283
- Pihlar, B., see Novič, M. 101
- Poch, M., see de Gracia, J. 143
- Pompe, M.  
—, Razinger, M., Novič, M. and Veber, M.  
Modelling of gas chromatographic retention indices using counterpropagation neural networks 215
- Pretsch, E., see Macher, C.L. 465
- Quaranta, S., see Carpignano, R. 489
- Raczyńska, E.D.  
Application of semiempirical method (AM1) to the study of tautomeric equilibria in the gas phase for simple compounds containing the amidine group: 4(5)-substituted imidazoles 431
- Razinger, M., see Pompe, M. 215
- Ríos, A., see Vereda, E. 129
- Ritzka, A., see Hitzmann, B. 135
- Rius, F.X., see Ferré, J. 167
- Rius, F.X., see Majcen, N. 87
- Rius, F.X., see Ruisánchez, I. 113
- Rodríguez, L.C., see Campaña, A.M.G. 237
- Rowland, J., see Shaw, A.D. 357
- Rowland, J.J., see Alsberg, B.K. 389
- Rowland, J.J., see Broadhurst, D. 71
- Rowland, J.J., see Winson, M.K. 273
- Ruisánchez, I.  
—, Lozano, J., Larrechi, M.S., Rius, F.X. and Zupan, J.  
On-line automated analytical signal diagnosis in sequential injection analysis systems using artificial neural networks 113
- Rutan, S.C., see Bouveresse, E. 283
- Sánchez, M.S.  
— and Sarabia, L.A.  
GINN (Genetic Inside Neural Network): towards a non-parametric training 533
- Sagrado, S., see Blasco, F. 151
- Salinas, F., see García, M.D.G. 177
- Sarabia, L.A., see Sánchez, M.S. 533
- Sarabia, L.A.  
—, Ortiz, M.C. and Tomás, X.  
Performance of the orthogonal least median squares regression 11
- Saravia, M.L.M.F.S., see de Gracia, J. 143
- Schechter, I., see Litani-Barzilai, I. 345
- Scheper, T., see Hitzmann, B. 135
- Schoonheydt, R.A., see Verberckmoes, A.A. 267
- Schügerl, K., see Hitzmann, B. 135
- Sekulic, S.S., see Cho, J. 303
- Shaw, A.D.  
—, di Camillo, A., Vlahov, G., Jones, A., Bianchi, G., Rowland, J. and Kell, D.B.  
Discrimination of the variety and region of origin of extra virgin olive oils using <sup>13</sup>C NMR and multivariate calibration with variable reduction 357
- Somberg, H., see Elyashberg, M.E. 443
- Song, X.-H., see Hopke, P.K. 375
- Thiele, H., see Elyashberg, M.E. 443
- Timmins, É.M., see Goodacre, R. 511
- Timmins, É.M., see Winson, M.K. 273
- Todeschini, R.  
Data correlation, number of significant principal components and shape of molecules. The *K* correlation index 419
- Tomás, X., see Sarabia, L.A. 11
- Torres-Lapasió, J.R.  
—, García-Alvarez-Coque, M.C. and Baeza-Baeza, J.J.  
Global treatment of chromatographic data with MICHROM 187
- Ulber, R., see Hitzmann, B. 135
- Ulber, R., see Hitzmann, B. 161
- Valcárcel, M., see Vereda, E. 129

- van der Maas, J.H., see Luinge, H.J. 471
- Veber, M., see Pompe, M. 215
- Verberckmoes, A.A.  
—, Weckhuysen, B.M., Schoonheydt, R.A., Ooms, K. and Langhans, I.  
Chemometric analysis of diffuse reflectance spectra of  $\text{Co}^{2+}$ -exchanged zeolites: spectroscopic fingerprinting of coordination environments 267
- Verdú-Andrés, J., see Campíns-Falcó, P. 39
- Vereda, E.  
—, Ríos, A. and Valcárcel, M.  
Quality compromises incorporated in simplex optimisation of a flow injection system 129
- Vidal, J.L.M., see García, M.D.G. 177
- Vilanova, X., see Brezmes, J. 503
- Vlahov, G., see Shaw, A.D. 357
- Weckhuysen, B.M., see Verberckmoes, A.A. 267
- Winson, M.K.  
—, Goodacre, R., Timmins, É.M., Jones, A., Alsberg, B.K., Woodward, A.M., Rowland, J.J. and Kell, D.B.  
Diffuse reflectance absorbance spectroscopy taking in chemometrics (DRASTIC). A hyperspectral FT-IR-based approach to rapid screening for metabolite overproduction 273
- Woodward, A.M., see Winson, M.K. 273
- Xie, Y.-L.  
— and Kalivas, J.H.  
Evaluation of principal component selection methods to form a global prediction model by principal component regression 19
- Xie, Y.-L.  
— and Kalivas, J.H.  
Local prediction models by principal component regression 29
- Zafran, N., see Novič, M. 101
- Zupan, J., see Majcen, N. 87
- Zupan, J., see Novič, M. 101
- Zupan, J., see Ruisánchez, I. 113
- Zupan, J.  
— and Novič, M.  
General type of a uniform and reversible representation of chemical structures 409



